


UPC

180.2100 | Tub / Shower Trim Set With Pressure Balance Valve & 2-Way Diverter with Integrated Volume Control




SPECIFICATIONS:

- Includes Pressure balance valve (PBV1005A**) w/ service stops
- Lift Handle to control volume. Turn left for hot, right for cold.
- Small knob controls 2-way water diversion
- Pressure Balance Valve Flow Rate 5.5 GPM @ 60 PSI
- Extension Available PBV.2100E**

See Spec Sheet For PBV1005A For Detailed Information On Valve.

Technical Diagram

** Denotes Finish (CP, BN, etc.)



Diverter Position = Right

Critical Dimensions in mm [Inches] - Ver. 2.53

Diverter Position = Left


Diverter Position = Middle

www.flussofaucets.com



PBV1005A | Pressure Balance Valve With Integrated 2-Way Diverter Page 10f 2






SPECIFICATIONS:


- Lift Handle to control volume. Turn left for hot, right for cold.
- Knob controls 2-way water diversion shared output.
- Pressure Balance Valve Flow Rate 5.5 GPM @ 60 PSI
- Extension Available PBV.2100E**


STANDARDS:


• ASME A112.18.1 / CSA B125.1


Technical Diagram














Critical Dimensions in mm [Inches] - Ver. 2.53

www.flussofaucets.com



UPC

PBV1005A | Pressure Balance Valve With Integrated 2-Way Diverter Page 2 of 2

Water Diversion Diagram

